EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	116	(wireless or mobile) near predict	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 11:02
S2	7035	(wireless or mobile) and predict$5 and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 11:03
S4	28	(wireless or mobile) and predict$5.ti. and cache and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 11:09
S5	69	predict$5 same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 11:13
S6	125	(predict$5 or guess or anticipate$3) same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 11:13
S7	0	(predict$5 or guess or anticipate$3) with algorithm same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 11:14
S8	4	(predict$5 or guess or anticipate$3) with algorithm same (request ot retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 11:16
S9	116	(predict$5 or guess or anticipate$3) with cach$5 same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 11:17

S10	116	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 12:49
S11	2	"6055569".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 11:19
S12	0	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad< "20020311" and probability with threshhold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 12:55
S13	37	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad< "20020311" and probability	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 12:57
S14	2	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad< "20020311" and probability same user same group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 12:57
S15	2	"6721780".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/21 13:07
S16	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/08/22 12:42
S17	6	S16 and group	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/08/22 12:43

S18	3	S16 and category	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/08/22 12:49
S19	1	S16 and state machine	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/08/22 12:51
S20	6	S16 and probability	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/08/23 11:24
S21	7	S16 and (mobile or wireless)	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/08/22 13:07
S23	2	"5727129".did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/08/23 10:36
S24	466484	"16" and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/08/23 10:37
S25	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/08/23 10:37
S26	9	S25 and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/08/23 10:37
S27	0	"60362930.did"	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/08/23 11:24
S28	0	"60362930".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 11:25
S29	2	"0300339".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 11:26

S30	2	"20050108322".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 11:31
S31	2	"0160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 11:31
S32	0	"00160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 11:31
S33	0	"010060014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 11:31
S34	5	"60014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:37
S35	2	"200160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:55
S36	15636	709/217-220,229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:56
S37	181	709/217-220,229.ccls. and predict$5 same cach$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:56
S38	116	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:56

S39	34	709/217-220,229.ccls. and S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/23 12:56
S40	2	"20030087652".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/14 12:37
S41	18	(US-20030005038-$ or US-20030061451-$ or US-20030110296-$ or US-20030088580-$ or US-20020083148-$ or US-20020103778-$ or US-20020165925-$ or US-20030087652-$).did. or (US-7003566-$ or US-6742033-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6640284-$ or US-6055569-$ or US-5727129-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2007/09/14 12:38
S42	18	S41 and @ad<"20031216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/14 12:38
S43	3	(US-20020103778-$ or US-20030087652-$).did. or (US-6721780-$).did.	US-PGPUB; USPAT	ADJ	ON	2007/09/14 12:42
S44	0	S43 and subscription	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/14 12:43
S45	2	S43 and location	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/14 12:43

S46	17	(US-20030088580-$ or US-20020083148-$ or US-20030110296-$ or US-20030061451-$ or US-20020103778-$ or US-20020165925-$ or US-20030087652-$).did. or (US-7003566-$ or US-7113935-$ or US-6766422-$ or US-6871218-$ or US-5727129-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/02/11 09:21
S47	0	S46 and markov	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:21
S48	3	S46 and periodic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:23
S49	6	S46 and periodic$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:23
S50	119	(wireless or mobile) near predict	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S51	7952	(wireless or mobile) and predict$5 and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S52	29	(wireless or mobile) and predict$5.ti. and cache and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38

S53	69	predict$5 same request same (retrieve or cache) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S54	125	(predict$5 or guess or anticipate$3) same request same (retrieve or cache) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S55	0	(predict$5 or guess or anticipate$3) with algorithm same request same (retrieve or cache) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S56	4	(predict$5 or guess or anticipate$3) with algorithm same (request ot retrieve or cache) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S57	116	(predict$5 or guess or anticipate$3) with cach$5 same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S58	116	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S59	2	"6055569".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S60	0	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad< "20020311" and probability with threshhold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S61	37	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad< "20020311" and probability	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38

S62	2	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability same user same group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S63	2	"6721780".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S64	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/02/11 09:38
S65	6	S64 and group	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/02/11 09:38
S66	3	S64 and category	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/02/11 09:38
S67	1	S64 and state machine	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/02/11 09:38
S68	6	S64 and probability	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/02/11 09:38
S69	7	S64 and (mobile or wireless)	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/02/11 09:38
S70	2	"5727129".did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/02/11 09:38
S71	489555	"16" and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/02/11 09:38

S72	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/02/11 09:38
S73	9	S72 and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/02/11 09:38
S74	0	"60362930.did"	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/02/11 09:38
S75	0	"60362930".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S76	2	"0300339".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S77	2	"20050108322".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S78	3	"0160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S79	0	"00160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38

S80	0	"010060014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S81	5	"60014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S82	1	"200160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S83	16797	709/217-220,229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S84	192	709/217-220,229.ccls. and predict$5 same cach$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S85	116	((predict$5 or guess or antidipate$3) with cach$5) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S86	35	709/217-220,229.ccls. and S85	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S87	2	"20030087652".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38

S88	18	(US-20030005038-$ or US-20030061451-$ or US-20030110296-$ or US-20030088580-$ or US-20020083148-$ or US-20020103778-$ or US-20020165925-$ or US-20030087652-$).did. or (US-7003566-$ or US-6742033-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6640284-$ or US-6055569-$ or US-5727129-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/02/11 09:38
S89	18	S88 and @ad< "20031216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S90	3	(US-20020103778-$ or US-20030087652-$).did. or (US-6721780-$).did.	US-PGPUB; USPAT	ADJ	ON	2008/02/11 09:38
S91	0	S90 and subscription	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S92	2	S90 and location	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 09:38
S93	0	S46 and time of day	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 10:53
S94	6	S46 and time with day	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 10:53

S95	0	S46 and lower with probability	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/11 13:36
S96	17	(US-20030088580-$ or US-20020083148-$ or US-20030110296-$ or US-20030061451-$ or US-20020103778-$ or US-20020165925-$ or US-20030087652-$).did. or (US-7003566-$ or US-7113935-$ or US-6766422-$ or US-6871218-$ or US-5727129-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:02
S97	0	cache hit with notific$7 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:02
S98	0	(cache hit or actually or successful) with (send) and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:03
S99	124	(wireless or mobile) near predict	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S100	9082	(wireless or mobile) and predict$5 and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S101	30	(wireless or mobile) and predict$5.ti. and cache and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14

S102	70	predict$5 same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S103	127	(predict$5 or guess or anticipate$3) same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S104	1	(predict$5 or guess or anticipate$3) with algorithm same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S105	5	(predict$5 or guess or anticipate$3) with algorithm same (request ot retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S106	117	(predict$5 or guess or anticipate$3) with cach$5 same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S107	117	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S108	2	"6055569".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S109	0	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability with threshhold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S110	37	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14

S111	2	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability same user same group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S112	2	"6721780".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S113	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S114	6	S113 and group	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S115	3	S113 and category	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S116	1	S113 and state machine	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S117	6	S113 and probability	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S118	7	S113 and (mobile or wireless)	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S119	2	"5727129".did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S120	519208	"16" and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14

S121	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S122	9	S121 and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S123	0	"60362930.did"	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S124	0	"60362930".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S125	2	"0300339".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S126	2	"20050108322".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S127	3	"0160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S128	0	"00160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14

S129	0	"010060014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S130	5	"60014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S131	1	"200160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S132	17976	709/217-220,229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S133	208	709/217-220,229.ccls. and predict$5 same cach$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S134	117	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S135	35	709/217-220,229.ccls. and S134	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S136	2	"20030087652".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14

S137	18	(US-20030005038-$ or US-20030061451-$ or US-20030110296-$ or US-20030088580-$ or US-20020083148-$ or US-20020103778-$ or US-20020165925-$ or US-20030087652-$).did. or (US-7003566-$ or US-6742033-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6640284-$ or US-6055569-$ or US-5727129-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S138	18	S137 and @ad<"20031216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S139	3	(US-20020103778-$ or 20030087652-$).did. or (US-6721780-$).did.	US-PGPUB; USPAT	ADJ	ON	2008/07/16 16:14
S140	0	S139 and subscription	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S141	2	S139 and location	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S142	17	(US-20030088580-$ or US-20020083148-$ or US-20030110296-$ or US-20030061451-$ or US-20020103778-$ or US-20020165925-$ or US-20030087652-$).did. or (US-7003566-$ or US-7113935-$ or US-6766422-$ or US-6871218-$ or US-5727129-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14

S143	0	S142 and markov	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S144	3	S142 and periodic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S145	6	S142 and periodic$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S146	124	(wireless or mobile) near predict	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S147	9082	(wireless or mobile) and predict$5 and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S148	30	(wireless or mobile) and predict$5.ti. and cache and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S149	70	predict$5 same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S150	127	(predict$5 or guess or anticipate$3) same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S151	1	(predict$5 or guess or anticipate$3) with algorithm same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14

S152	5	(predict$5 or guess or anticipate$3) with algorithm same (request ot retrieve or cache) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S153	117	(predict$5 or guess or anticipate$3) with cach$5 same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S154	117	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S155	2	"6055569".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S156	0	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad< "20020311" and probability with threshhold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S157	37	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad< "20020311" and probability	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S158	2	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad< "20020311" and probability same user same group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S159	2	"6721780".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14

S160	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S161	6	S160 and group	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S162	3	S160 and category	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S163	1	S160 and state machine	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S164	6	S160 and probability	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S165	7	S160 and (mobile or wireless)	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S166	2	"5727129".did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S167	519208	"16" and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S168	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S169	9	S168 and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14

S170	0	"60362930.did"	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S171	0	"60362930".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S172	2	"0300339".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S173	2	"20050108322".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S174	3	"0160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S175	0	"00160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S176	0	"010060014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S177	5	"60014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S178	1	"200160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14

S179	17976	709/217-220,229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S180	208	709/217-220,229.ccls. and predict$5 same cach$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S181	117	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S182	35	709/217-220,229.ccls. and S181	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S183	2	"20030087652".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S184	18	(US-20030005038-$ or US-20030061451-$ or US-20030110296-$ or US-20030088580-$ or US-20020083148-$ or US-20020103778-$ or US-20020165925-$ or US-20030087652-$).did. or (US-7003566-$ or US-6742033-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6640284-$ or US-6055569-$ or US-5727129-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2008/07/16 16:14
S185	18	S184 and @ad<"20031216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14

S186	3	(US-20020103778-$ or US-20030087652-$).did. or (US-6721780-$).did.	US-PGPUB; USPAT	ADJ	ON	2008/07/16 16:14
S187	0	S186 and subscription	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S188	2	S186 and location	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S189	0	S142 and time of day	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S190	6	S142 and time with day	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S191	0	S142 and lower with probability	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/16 16:14
S192	2	"5935207".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 13:29
S193	137	(wireless or mobile) near predict	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S194	10293	(wireless or mobile) and predict$5 and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16

S195	30	(wireless or mobile) and predict$5.ti. and cache and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S196	70	predict$5 same request same (retrieve or cache) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S197	127	(predict$5 or guess or anticipate$3) same request same (retrieve or cache) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S198	1	(predict$5 or guess or anticipate$3) with algorithm same request same (retrieve or cache) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S199	5	(predict$5 or guess or anticipate$3) with algorithm same (request ot retrieve or cache) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S200	117	(predict$5 or guess or anticipate$3) with cach$5 same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S201	117	((predict$5 or guess or anticipate$3) with cach$5 same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S202	2	"6055569".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S203	0	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad< "20020311" and probability with threshhold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16

S204	37	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S205	2	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability same user same group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S206	2	"6721780".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S207	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S208	6	S207 and group	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S209	3	S207 and category	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S210	1	S207 and state machine	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S211	6	S207 and probability	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S212	7	S207 and (mobile or wireless)	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S213	2	"5727129".did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S214	551633	"16" and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16

S215	16	{(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S216	9	S215 and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S217	0	"60362930.did"	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S218	0	"60362930".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S219	2	"0300339".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S220	2	"20050108322".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S221	3	"0160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S222	0	"00160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16

S223	0	"010060014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S224	5	"60014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S225	1	"200160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S226	19166	709/217-220,229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S227	214	709/217-220,229.ccls. and predict$5 same cach$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S228	117	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S229	35	709/217-220,229.ccls. and S228	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S230	2	"20030087652".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16

S231	18	(US-20030005038-$ or US-20030061451-$ or US-20030110296-$ or US-20030088580-$ or US-20020083148-$ or US-20020103778-$ or US-20020165925-$ or US-20030087652-$).did. or (US-7003566-$ or US-6742033-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6640284-$ or US-6055569-$ or US-5727129-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S232	18	S231 and @ad<"20031216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S233	3	(US-20020103778-$ or US-20030087652-$).did. or (US-6721780-$).did.	US-PGPUB; USPAT	ADJ	ON	2009/01/02 14:16
S234	0	S233 and subscription	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S235	2	S233 and location	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S236	17	(US-20030088580-$ or US-20020083148-$ or US-20030110296-$ or US-20030061451-$ or US-20020103778-$ or US-20020165925-$ or US-20030087652-$).did. or (US-7003566-$ or US-7113935-$ or US-6766422-$ or US-6871218-$ or US-5727129-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16

S237	0	S236 and markov	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S238	3	S236 and periodic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S239	6	S236 and periodic$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S240	137	(wireless or mobile) near predict	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S241	10293	(wireless or mobile) and predict$5 and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S242	30	(wireless or mobile) and predict$5.ti. and cache and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S243	70	predict$5 same request same (retrieve or cache) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S244	127	(predict$5 or guess or anticipate$3) same request same (retrieve or cache) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S245	1	(predict$5 or guess or anticipate$3) with algorithm same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16

S246	5	(predict$5 or guess or anticipate$3) with algorithm same (request ot retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S247	117	(predict$5 or guess or anticipate$3) with cach$5 same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S248	117	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S249	2	"6055569".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S250	0	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability with threshhold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S251	37	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S252	2	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability same user same group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S253	2	"6721780".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16

S254	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S255	6	S254 and group	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S256	3	S254 and category	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S257	1	S254 and state machine	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S258	6	S254 and probability	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S259	7	S254 and (mobile or wireless)	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S260	2	"5727129".did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S261	551633	"16" and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S262	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S263	9	S262 and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16

S264	0	"60362930.did"	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S265	0	"60362930".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S266	2	"0300339".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S267	2	"20050108322".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S268	3	"0160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S269	0	"00160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S270	0	"010060014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S271	5	"60014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S272	1	"200160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16

S273	19166	709/217-220,229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S274	214	709/217-220,229.ccls. and predict$5 same cach$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S275	117	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S276	35	709/217-220,229.ccls. and S275	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S277	2	"20030087652".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S278	18	(US-20030005038-$ or US-20030061451-$ or US-20030110296-$ or US-20030088580-$ or US-20020083148-$ or US-20020103778-$ or US-20020165925-$ or US-20030087652-$).did. or (US-7003566-$ or US-6742033-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6640284-$ or US-6055569-$ or US-5727129-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S279	18	S278 and @ad<"20031216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16

S280	3	(US-20020103778-$ or US-20030087652-$).did. or (US-6721780-$).did.	US-PGPUB; USPAT	ADJ	ON	2009/01/02 14:16
S281	0	S280 and subscription	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S282	2	S280 and location	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S283	0	S236 and time of day	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S284	6	S236 and time with day	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S285	0	S236 and lower with probability	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S286	17	(US-20030088580-$ or US-20020083148-$ or US-20030110296-$ or US-20030061451-$ or US-20020103778-$ or US-20020165925-$ or US-20030087652-$).did. or (US-7003566-$ or US-7113935-$ or US-6766422-$ or US-6871218-$ or US-5727129-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S287	0	cache hit with notific$7 and S286	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16

S288	0	(cache hit or actually or successful) with (send) and S286	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S289	137	(wireless or mobile) near predict	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S290	10293	(wireless or mobile) and predict$5 and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S291	30	(wireless or mobile) and predict$5.ti. and cache and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S292	70	predict$5 same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S293	127	(predict$5 or guess or anticipate$3) same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S294	1	(predict$5 or guess or anticipate$3) with algorithm same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S295	5	(predict$5 or guess or anticipate$3) with algorithm same (request ot retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S296	117	(predict$5 or guess or anticipate$3) with cach$5 same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16

S297	117	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S298	2	"6055569".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S299	0	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability with threshhold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S300	37	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S301	2	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability same user same group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S302	2	"6721780".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S303	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S304	6	S303 and group	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16

S305	3	S303 and category	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S306	1	S303 and state machine	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S307	6	S303 and probability	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S308	7	S303 and (mobile or wireless)	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S309	2	"5727129".did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S310	551633	"16" and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S311	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S312	9	S311 and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S313	0	"60362930.did"	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:16
S314	0	"60362930".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:16
S315	2	"0300339".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17

S316	2	"20050108322".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S317	3	"0160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S318	0	"00160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S319	0	"010060014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S320	5	"60014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S321	1	"200160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S322	19166	709/217-220,229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S323	214	709/217-220,229.ccls. and predict$5 same cach$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S324	117	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad< "20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17

S325	35	709/217-220,229.ccls. and S324	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S326	2	"20030087652".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S327	18	(US-20030005038-$ or US-20030061451-$ or US-20030110296-$ or US-20030088580-$ or US-20020083148-$ or US-20020103778-$ or US-20020165925-$ or US-20030087652-$).did. or (US-7003566-$ or US-6742033-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6640284-$ or US-6055569-$ or US-5727129-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:17
S328	18	S327 and @ad<"20031216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S329	3	(US-20020103778-$ or US-20030087652-$).did. or (US-6721780-$).did.	US-PGPUB; USPAT	ADJ	ON	2009/01/02 14:17
S330	0	S329 and subscription	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S331	2	S329 and location	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17

S332	17	(US-20030088580-$ or US-20020083148-$ or US-20030110296-$ or US-20030061451-$ or US-20020103778-$ or US-20020165925-$ or US-20030087652-$).did. or (US-7003566-$ or US-7113935-$ or US-6766422-$ or US-6871218-$ or US-5727129-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:17
S333	0	S332 and markov	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S334	3	S332 and periodic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S335	6	S332 and periodic$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S336	137	(wireless or mobile) near predict	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S337	10293	(wireless or mobile) and predict$5 and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S338	30	(wireless or mobile) and predict$5.ti. and cache and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17

S339	70	predict$5 same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S340	127	(predict$5 or guess or anticipate$3) same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S341	1	(predict$5 or guess or anticipate$3) with algorithm same request same (retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S342	5	(predict$5 or guess or anticipate$3) with algorithm same (request ot retrieve or cache) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S343	117	(predict$5 or guess or anticipate$3) with cach$5 same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S344	117	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S345	2	"6055569".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S346	0	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability with threshhold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S347	37	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17

S348	2	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311" and probability same user same group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S349	2	"6721780".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S350	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:17
S351	6	S350 and group	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:17
S352	3	S350 and category	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:17
S353	1	S350 and state machine	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:17
S354	6	S350 and probability	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:17
S355	7	S350 and (mobile or wireless)	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:17
S356	2	"5727129".did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:17
S357	551633	"16" and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:17

S358	16	(US-20030088580-$ or US-20030005038-$ or US-20030061451-$ or US-20020103778-$ or US-20030110296-$ or US-20020083148-$ or US-20020165925-$).did. or (US-7003566-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6742033-$ or US-6640284-$ or US-6055569-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:17
S359	9	S358 and threshold	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:17
S360	0	"60362930.did"	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:17
S361	0	"60362930".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S362	2	"0300339".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S363	2	"20050108322".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S364	3	"0160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S365	0	"00160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17

S366	0	"010060014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S367	5	"60014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S368	1	"200160014".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S369	19166	709/217-220,229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S370	214	709/217-220,229.ccls. and predict$5 same cach$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S371	117	((predict$5 or guess or anticipate$3) with cach$5) same (web$10) and @ad<"20020311"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S372	35	709/217-220,229.ccls. and S371	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S373	2	"20030087652".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17

S374	18	(US-20030005038-$ or US-20030061451-$ or US-20030110296-$ or US-20030088580-$ or US-20020083148-$ or US-20020103778-$ or US-20020165925-$ or US-20030087652-$).did. or (US-7003566-$ or US-6742033-$ or US-6871218-$ or US-7113935-$ or US-6766422-$ or US-6640284-$ or US-6055569-$ or US-5727129-$ or US-6721780-$).did. or (US-20030005038-$).did.	US-PGPUB; USPAT; DERWENT	ADJ	ON	2009/01/02 14:17
S375	18	S374 and @ad<"20031216"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S376	3	(US-20020103778-$ or US-20030087652-$).did. or (US-6721780-$).did.	US-PGPUB; USPAT	ADJ	ON	2009/01/02 14:17
S377	0	S376 and subscription	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S378	2	S376 and location	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S379	0	S332 and time of day	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S380	6	S332 and time with day	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17

S381	0	S332 and lower with probability	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S382	2	"5935207".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:17
S383	2	"5935207".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/02 14:20

1/2/2009 3:49:54 PM
C:\ Documents and Settings\ wnoonan\ My Documents\ EAST\ Workspaces\ 10507083 wireless prediction.wsp